




part no.	ref. code	DESIGNATION	Model/Specification	Quantity
1	36944001	outer hexagon screw with flange	M6×10	15
2	36944002	Head cover plate	cold rolled steel plate/δ1.5	1
3	36944003	straight connector	0 degree R3/4-M33×2	2
4	36944004	Fine oil differentiating return pipe	Ø20	1
5	36943005	outer hexagon bolt	M8×25	24
6	36944006	Exhausting pipe of oil tank	Ø32	1
7	36943007	right door	Cold rolled steel plate/δ1.2	1
8	36943008	inside hexagonal bolt	M6×20	4
9	36944009	secondary oil return pipe 1	Ø6	1
10	36943010	inside hexagonal bolt	M8×40	4
11	36943011	aluminum plate fin hear exchanger	645×580×65, 30A-AM-LQQ-00	1
12	36944012	Solenoid valve connecting pipe	Ø6	1
13	36944013	filter	DL-16EBK5	1
14	36944014	straight connector	0 degree R1/4-Ø6	2
15	36944015	Minimum pressure valve	MPV-25F-Y	1
16	36944016	right shutter in the front	Cold rolled steel plate/δ1.2	1
17	36944017	Vertical shaft in the middle side of the front shutter	cold rolled steel plate/δ1.5	1
18	36944018	inside hexagonal bolt	M6×16	4
19	36944019	outer hexagon bolt	M10×25	2
20	36944020	Barrels of oil pipe	Ø20	1
21	36944021	spring washer Ø16	Ø16	12
22	36944022	controller	MAM6080M	1
23	36944023	inside hexagonal bolt	M8×20	20
24	36944024	Emergency "stop" button	LAY5-BS544	1
25	36944025	flat gasket Ø16	Ø16	12
26	36944026	panel plate for controller	cold rolled steel plate/δ1.5	1
27	36944027	outer hexagon bolt	M16×40	8
28	36944028	safety valve	R3/4	3
29	36944029	pressure sensor	R1/4	1
30	36944030	Flange cover of oil-gas barrel	Ø273×28	1
31	36944031	oil-gas separator	Ø165×Ø75×Ø135×200	1
32	36944032	oil-gas barrel	3316	1
33	36944033	left side shutter in the front	Cold rolled steel plate/δ1.2	1
34	36944034	clamp ring	MFQ-GC-02	1
35	36944035	acrylic plate	acrylic plate (δ=4)	1
36	36944036	Egg neck bolt	M10×55	2
37	36944037	clamp	1"(GC-02)	1
38	36944038	90°adjustable connector	90 degree G3/4-M33-24	2
39	36944039	inverter	Z2000T-30GY-49(E)	1
40	36944042	Exhausting pipe of handpiece	Ø32	1
41	36944043	oil cock	M27×1.5	1
42	36944044	outer hexagon bolt	M10×35 (with oil hole)	2
43	36944045	oil level sight glass	175×22×20	1
44	36944046	left side plate	Cold rolled steel plate/δ1.2	1
45	36944045	oil level sight glass	175×22×20	1
46	36944046	left side plate	Cold rolled steel plate/δ1.2	1
47	36944047	outer hexagon bolt	M12×30	4
48	36944048	flat gasket	Ø12	10
49	36944049	Temperature sensor	PT100	1
50	36944050	outer hexagon bolt	M12×40	2
51	36944051	Vertical shaft on left side of the front shutter	cold rolled steel plate/δ1.5	1
52	36944052	ball valve	R1/2-Rp1/2	1

part no.	ref. code	DESIGNATION	Model/Specification	Quantity
53	36944053	outer hexagon bolt	M8×20	24
54	36944054	flat gasket Ø8	Ø8	48
55	36944055	spring washer Ø8	Ø8	48
56	36944056	Host frame	square steel 60×40	1
57	36944057	Cushioning washer	Ø70×50	4
58	36944058	base plate	cold rolled steel plate/δ3	1
59	36944059	outer hexagon bolt	M16×25	4
60	36944060	nut	M16	4
61	36944061	outer hexagon bolt	M8×70	2
62	36944062	inside hexagonal bolt	M12×40	2
63	36944063	Oil filter	W962	1
64	36944064	straight connector	R1/2-G3/4	1
65	36944065	90 degree connector	90 degree R1/8-Ø6	3
66	36944066	oil return valve	Rp1/8-Rp1/8	1
67	36944067	right-angle bend	90 degree R1/8-Rp1/8	1
68	36944068	Oil filter base	Rp3/4-Rp3/4-M24×1.5	1
69	36944069	Vertical shaft in the left side of the back	cold rolled steel plate/δ1.5	1
70	36944070	left side plate of the back	Cold rolled steel plate/δ1.2	1
71	36944071	right side plate of the back	Cold rolled steel plate/δ1.2	1
72	36944072	Ø 50 Pressure gauge of the oil-gas barrel	Ø50, R1/4	1
73	36944073	Bearing lubrication return oil pipe	Ø6	1
74	36944074	Screw handpiece	37KW	1
75	36944075	motor	XLL104-04	1
76	36944076	Air inlet valve	AIV-65C-S/HJF70-DG	1
77	36944077	straight connector	Ø6-Ø6	1
78	36944078	air filter	Ø280XØ79X202X45 Ø310x205	1
79	36944079	Vertical shaft in the middle side of the back	cold rolled steel plate/δ1.5	1
80	36944080	sponge	40A-JFAM-CE-HM-01.0	1
81	36944081	cross recessed pan head screw	M6×12	4
82	36944082	Fan cover plate	Cold rolled steel plate/δ1.2	1
83	36944083	lock	MS719Z1A020002	10
84	36944084	cross semicircle head screw	M6×25	4
85	36944085	right shutter	Cold rolled steel plate/δ1.2	1
86	36944086	cooling fan	YWF(K)2D600-Z	1
87	36944087	Head cover	cold rolled steel plate/δ1.5	1
88	36944088	plate-fin heat exchanger	40A-AM-LQQ-00.2	1
89	36944089	inside hexagonal bolt	M8×40	4