



Llave de impacto neumática 786 Nm 1/2" +/- 225 l/min con 6 vasos

Product Images



Additional Information

SKU	45537
EAN 13	8712418393286
Peso (kg)	2.500000
Longitud (mm)	187
Consumo máximo de aire a 6,3 bar (l/sec)	+/- 3.75
Consumo medio de aire a 6,3 bar (l/min)	116
Consumo máximo de aire a 6,3 bar (l/min)	+/- 225
Tamaño del accionamiento de la toma de corriente (")	1/2
Revolución por minuto (RPM)	8.000
Par máximo hacia adelante (Nm)	1112
Par máximo inverso	1800 Nm
Presión de trabajo (bar)	6.2

Descripción

The Airpress 45411 impact wrench is the most powerful device in the ½" class. The used Twin Hammer percussion mechanism ensures a maximum torque of 1,800 Nm and 8,000 rpm. The composite housing and non-slip handle increase comfort considerably.

The L / R rotary switch and 3-stage power control make the device very versatile and widely used in mechanical workshops, production lines or mobile services.

Included:

- 1/2" Impact Wrench
- 3 pcs Deep (long) sockets 17, 19 and 22 mm
- 3 pcs Standard sockets 17, 19 and 22 mm
- 2 pcs Plugin Nipples 1x Euro and 1x Orion

